

■ FU 9801 系列 Series


FU 9801 A P2



FU 9801 B P2 (含防雨罩 Including rain hood)




80系列風機 Series fans



FU 9801 C1 P2



FU 9801 C2 P2



風道型號 Air Duct	風機型號 FANS Model	a	b
-	KA8025, EC8025	25	5
-	KA8038	38	5

適配風機型號，請查閱第13頁表格
Fan models please check data sheet of page 13

參數表 Specification



型號 Model	包裝數 Package quantity	材質 Material							耐溫度 Temperature tolerance	保護等級 Protection Grade
		防雨罩 Rain hood	面板 Cover	底座 Bottom	濾棉擋圈 Filter collar	風道 Air Duct	過濾材 Filter	密封圈 Sealing ring		
FU 9801 A P2	20 PC/Box	-	ABS	ABS	-	-	Nylon	PU	-10~55°C	IP44
FU 9801 B P2	10 PC/Box	PC+UV	PC+UV	ABS	-	-	Nylon	PU	-10~55°C	IP55
FU 9801 C1 P2	1 PC/Box	-	ABS	ABS	-	-	Nylon	PU	-10~55°C	IP44
FU 9801 C2 P2	1 PC/Box	PC+UV	PC+UV	ABS	-	-	Nylon	PU	-10~55°C	IP55

C1& C2, fan and filters connected directly



FU 9802 系列 Series

FU 9802 A P2



FU 9802 B P2 (含防雨罩 Including rain hood)





92系列風機 Series fans



FU 9802 C1 P2



FU 9802 C2 P2



風道型號 Air Duct	風機型號 FANS Model	a	b
-	KA9225, EC9225	25	5
-	KA9238	38	5

適配風機型號，請查閱第13頁表格
Fan models please check data sheet of page 13

參數表 Specification

型號 Model	包裝數 Package quantity	材質 Material							耐受溫度 Temperature tolerance	保護等級 Protection Grade
		防雨罩 Rain hood	面板 Cover	底座 Bottom	濾棉擋圈 Filter collar	風道 Air Duct	過濾材 Filter	密封圈 Sealing ring		
FU 9802 A P2	20 PC/Box	-	ABS	ABS	-	-	Nylon	PU	-10~55°C	IP44
FU 9802 B P2	10 PC/Box	PC+UV	PC+UV	ABS	-	-	Nylon	PU	-10~55°C	IP55
FU 9802 C1 P2	1 PC/Box	-	ABS	ABS	-	-	Nylon	PU	-10~55°C	IP44
FU 9802 C2 P2	1 PC/Box	PC+UV	PC+UV	ABS	-	-	Nylon	PU	-10~55°C	IP55

C1& C2, fan and filters connected directly



■ FU 9803 系列 Series


FU 9803 A P2



FU 9803 B P2 (含防雨罩 Including rain hood)





120系列風機 Series fans





FU 9803 C1 P2



FU 9803 C2 P2



FU-9803 A&B P2 (front)



FU-9803 A&B P2 (back)



風道型號 Air Duct	風機型號 FANS Model	a	b
-	KA1225, EC1225	25	9
-	KA1238	38	9
-	EC1238, EC12038	38	9

適配風機型號，請查閱第13頁表格
Fan models please check data sheet of page 13

參數表 Specification

型號 Model	包裝數 Package quantity	材質 Material	耐溫度 Temperature tolerance	保護等級 Protection Grade
FU 9803 A P2	20 PC/Box	防雨罩 Rain hood: -, 面板 Cover: ABS, 底座 Bottom: ABS, 濾棉擋圈 Filter collar: -, 風道 Air Duct: -, 過濾材 Filter: Nylon, 密封圈 Sealing ring: PU	-10~55°C	IP44
FU 9803 B P2	10 PC/Box	防雨罩 Rain hood: PC+UV, 面板 Cover: PC+UV, 底座 Bottom: ABS, 濾棉擋圈 Filter collar: -, 風道 Air Duct: -, 過濾材 Filter: Nylon, 密封圈 Sealing ring: PU	-10~55°C	IP55
FU 9803 C1 P2	1 PC/Box	防雨罩 Rain hood: -, 面板 Cover: ABS, 底座 Bottom: ABS, 濾棉擋圈 Filter collar: -, 風道 Air Duct: -, 過濾材 Filter: Nylon, 密封圈 Sealing ring: PU	-10~55°C	IP44
FU 9803 C2 P2	1 PC/Box	防雨罩 Rain hood: PC+UV, 面板 Cover: PC+UV, 底座 Bottom: ABS, 濾棉擋圈 Filter collar: -, 風道 Air Duct: -, 過濾材 Filter: Nylon, 密封圈 Sealing ring: PU	-10~55°C	IP55

C1 & C2, fan and filters connected directly





FU 9804 系列 Series

FU 9804 A P2



FU 9804 B P2 (含防雨罩 Including rain hood)



120,172系列風機 Series fans



FU 9804 系列風道 Series air duct





P4-120

P4-172

FU 9804 C1 P2



FU 9804 C2 P2



FU-9804 A&B P2 (front)

FU-9804 A&B P2 (back)



風道型號 Air Duct	風機型號 FANS Model	a	b
P4-120	KA1225,EC1225	25	9
	KA1238,EC1238	38	9
P4-172	EC17023	38	10
	KA,EC1725/5-Series	55	10
	KA,EC172-Series	51	10

適配風機型號，請查閱第13頁表格
Fan models please check data sheet of page 13


參數表 Specification

型號 Model	包裝數 Package quantity	材質 Material							耐溫度 Temperature tolerance	保護等級 Protection Grade
		防雨罩 Rain hood	面板 Cover	底座 Bottom	濾棉擋圈 Filter collar	風道 Air Duct	過濾材 Filter	密封圈 Sealing ring		
FU 9804 A P2	20 PC/Box	-	ABS	ABS	-	-	Nylon	PU	-10~55°C	IP44
FU 9804 B P2	10 PC/Box	PC+UV	PC+UV	ABS	-	-	Nylon	PU	-10~55°C	IP55
FU 9804 C1 P2	1 PC/Box	-	ABS	-	ABS	ABS	Nylon	PU	-10~55°C	IP44
FU 9804 C2 P2	1 PC/Box	PC+UV	PC+UV	-	ABS	ABS	Nylon	PU	-10~55°C	IP55


C1& C2, fan and filters connected directly



■ FU 9805 系列 Series



RoHS REACH



風道型號 Air Duct	風機型號 FANS Model	a	b
P5-172	EC17023 KA,EC1725/5-Series	38	10
P5-160	KA1606	55	10
P5-180	KA1806,EC1806	51	10
P5-220	KA2206,EC2206	60	10
	KA2208,EC2208	65	11
		60	13
		80	13

適配風機型號，請查閱第13頁表格
Fan models please check data sheet of page 13

參數表 Specification

型 號 Model	包裝數 Package quantity	材質 Material								耐受溫度 Temperature tolerance	保護等級 Protection Grade
		防雨罩 Rain hood	面板 Cover	底座 Bottom	濾棉擋圈 Filter collar	風道 Air Duct	過濾材 Filter	密封圈 Sealing ring			
FU 9805 A P2	20 PC/Box	-	ABS	ABS	-	-	Nylon	PU	-10~55°C	IP44	
FU 9805 B P2	10 PC/Box	PC+UV	PC+UV	ABS	-	-	Nylon	PU	-10~55°C	IP55	
FU 9805 C1 P2	1 PC/Box	-	ABS	-	ABS	ABS	Nylon	PU	-10~55°C	IP44	
FU 9805 C2 P2	1 PC/Box	PC+UV	PC+UV	-	ABS	ABS	Nylon	PU	-10~55°C	IP55	

C1& C2, fan and filters connected directly



FU 9806 系列 Series

FU 9806 A P2

FU 9806 B P2 (含防雨罩)
(Including rain hood)FU 9806 風道系列
Series air duct



220,225,250,207,280系列風機 Series fans



FU 9806 C1 P2



FU 9806 C2 P2



FU-9806 A&B P2 (front)

FU-9806 A&B P2 (back)



風道型號 Air Duct	風機型號 FANS Model	a	b
P6-220	KA2206, EC2206	60	13
	KA2208, EC2208	80	13
P6-225	EC2258	80	14
P6-250	KA2509, EC2509	89	13
P6-207	KA2072, EC2072	72	9
P6-280	EC2880	80	14

適配風機型號，請查閱第13頁表格

Fan models please check data sheet of page 13

參數表 Specification

型 號 Model	包裝數 Package quantity	材質 Material								耐受溫度 Temperature tolerance	保護等級 Protection Grade
		防雨罩 Rain hood	面板 Cover	底座 Bottom	濾棉擋圈 Filter collar	風道 Air Duct	過濾材 Filter	密封圈 Sealing ring			
FU 9806 A P2	10 PC/Box	-	PC+UV	PC+UV	-	-	Nylon	PU	-10~65°C	IP44	
FU 9806 B P2	5 PC/Box	PC+UV	PC+UV	ABS	-	-	Nylon	PU	-10~55°C	IP55	
FU 9806 C1 P2	1 PC/Box	-	ABS	-	ABS	ABS	Nylon	PU	-10~55°C	IP44	
FU 9806 C2 P2	1 PC/Box	PC+UV	PC+UV	-	ABS	ABS	Nylon	PU	-10~55°C	IP55	

C1& C2, fan and filters connected directly

■ FU 9803 全金屬材質系列 All metal material series


FU 9803 A M



FU 9803 B M (含防雨罩 Including rain hood)




120 系列風機 Series fans




FU 9803 C1 M




FU 9803 C2 M




A




C1



C2



FU-9803 A&B M (front)



FU-9803 A&B M (back)



開孔尺寸
size of holes



風道型號
Air Duct

風機型號
FANS Model

a

b

KA1225, EC1225

25

9

KA1238

38

9

EC1238, EC12038

38

9

適配風機型號，請查閱第13頁表格

Fan models please check data sheet of page 13

本系列具有抗屏蔽功能，在30~1000MHz輻射範圍內，A款最大可衰減35dB (513MHz)，B款最大可衰減31.5dB(513MHz)，詳細資料請下載電子檔。

This series are anti shielding, in the irradiation range of 30~100MHz, A type can reduce 35dB(513MHz) on maximum, B type can reduce 31.5dB(513MHz) on maximum.

參數表 Specification



型號 Model	包裝數 Package quantity	材質 Material							耐溫度 Temperature tolerance	保護等級 Protection Grade
		防雨罩 Rain hood	面板 Cover	底座 Bottom	濾棉擋圈 Filter collar	風道 Air Duct	過濾材 Filter	密封圈 Sealing ring		
FU 9803 A M	20 PC/Box	-	ADC12	ADC12	-	-	*Fe-Ni	Si	-50~200°C	IP44
FU 9803 B M	10 PC/Box	ADC12	ADC12	ADC12	-	-	*Fe-Ni	Si	-50~200°C	IP55
FU 9803 C1 M	1 PC/Box	-	ADC12	ADC12	-	-	*Fe-Ni	Si	-50~200°C	IP44
FU 9803 C2 M	1 PC/Box	ADC12	ADC12	ADC12	-	-	*Fe-Ni	Si	-50~200°C	IP55

C1& C2, fan and filters connected directly, * Fe-Ni alloy forming material is standard filter media, nylon filter media is optional.



FU 9804 全金屬材質系列 All metal material series

FU 9804 A M

FU 9804 B M (含防雨罩 Including rain hood)



120,172 系列風機 Series fans



FU 9804 M 系列風道 Series air duct





M4-120

M4-172

FU 9804 C1 M

FU 9804 C2 M



風道型號 Air Duct	風機型號 FANS Model	a	b
M4-120	KA1225, EC1225	25	9
	KA1238, EC1238	38	9
M4-172	EC17023	38	10
	KA, EC1725/5-Series	55	10
	KA, EC172-Series	51	10

適配風機型號，請查閱第13頁表格
Fan models please check data sheet of page 13
本系列具有抗屏蔽功能同 FU9803 全金屬材質系列。

參數表 Specification



型號 Model	包裝數 Package quantity	材質 Material							耐受溫度 Temperature tolerance	保護等級 Protection Grade
		防雨罩 Rain hood	面板 Cover	底座 Bottom	濾棉擋圈 Filter collar	風道 Air Duct	過濾材 Filter	密封圈 Sealing ring		
FU 9804 A M	20 PC/Box	-	ADC12	ADC12	-	-	*Fe-Ni	Si	-50~200°C	IP44
FU 9804 B M	10 PC/Box	ADC12	ADC12	ADC12	-	-	*Fe-Ni	Si	-50~200°C	IP55
FU 9804 C1 M	1 PC/Box	-	ADC12	-	Carbon Steel	ADC12	*Fe-Ni	Si	-50~200°C	IP44
FU 9804 C2 M	1 PC/Box	ADC12	ADC12	-	Carbon Steel	ADC12	*Fe-Ni	Si	-50~200°C	IP55

C1 & C2, fan and filters connected directly, *Fe-Ni alloy forming material is standard filter media, nylon filter media is optional.

過濾網家族全新登場

A fresh start on filter family



通風過濾網組與風機規格一覽 Specification of the Ventilator Filter Unit & Cooling Fan

型號 Model	外形尺寸 Size mm	有效風量 Air Flow M ³ /min	最大風速 Air Speed M/s, Max	除塵率 Dust Resistance Rate, %	壓損範圍 Pressure Loss inch-H ₂ O	使用範圍 Usage Area	重量 Weight g	防護等級 Protection Grade
FU 9801 A P2	109×109×29.5	10.0	2.0	80	2.5~20	Indoor -10~55℃	86	IP44
FU 9801 B P2	109×109×64.5	-	1.5	-	-	outdoor -10~55℃	128	IP55
FU 9801 C1 P2	*109×109×29.5	-	2.0	-	-	Indoor -10~55℃	*86	IP44
FU 9801 C2 P2	*109×109×64.5	-	1.5	-	-	outdoor -10~55℃	*128	IP55
FU 9802 A P2	121×121×29.5	16.0	2.0	80	2.5~20	Indoor -10~55℃	103	IP44
FU 9802 B P2	121×121×69.5	-	1.5	-	-	outdoor -10~55℃	156	IP55
FU 9802 C1 P2	*121×121×29.5	-	2.0	-	-	Indoor -10~55℃	*103	IP44
FU 9802 C2 P2	*121×121×69.5	-	1.5	-	-	outdoor -10~55℃	*156	IP55
FU 9803 A P2	148.5×148.5×29.5	25.0	2.0	80	6.7~20	Indoor -10~55℃	130	IP44
FU 9803 B P2	148.5×148.5×79.5	-	1.5	-	-	outdoor -10~55℃	230	IP55
FU 9803 C1 P2	*148.5×148.5×29.5	-	2.0	-	-	Indoor -10~55℃	*130	IP44
FU 9803 C2 P2	*148.5×148.5×79.5	-	1.5	-	-	outdoor -10~55℃	*230	IP55
FU 9803 A M	148.5×148.5×28.5	25.0	2.0	80	6.7~20	Indoor -50~200℃	386	IP44
FU 9803 B M	148.5×148.5×77.5	-	1.5	-	-	outdoor -50~200℃	606	IP55
FU 9803 C1 M	*148.5×148.5×28.5	-	2.0	-	-	Indoor -50~200℃	*386	IP44
FU 9803 C2 M	*148.5×148.5×77.5	-	1.5	-	-	outdoor -50~200℃	*606	IP55
FU 9804 A P2	204×204×29.5	50.0	2.0	80	6.7~20	Indoor -10~55℃	220	IP44
FU 9804 B P2	204×204×97.5	-	1.5	-	-	outdoor -10~55℃	386	IP55
FU 9804 C1 P2	*204×204×58.5	-	2.0	-	-	Indoor -10~55℃	*291	IP44
FU 9804 C2 P2	*204×204×126.5	-	1.5	-	-	outdoor -10~55℃	*467	IP55
FU 9804 A M	204×204×33.5	50.0	2.0	80	6.7~20	Indoor -50~200℃	830	IP44
FU 9804 B M	204×204×101.5	-	1.5	-	-	outdoor -50~200℃	1240	IP55
FU 9804 C1 M	*204×204×63.5	-	2.0	-	-	Indoor -50~200℃	*1040	IP44
FU 9804 C2 M	*204×204×131.5	-	1.5	-	-	outdoor -50~200℃	*1450	IP55
FU 9805 A P2	255×255×29.5	80.0	2.0	80	6.7~40	Indoor -10~55℃	360	IP44
FU 9805 B P2	255×255×109.5	-	1.5	-	-	outdoor -10~55℃	625	IP55
FU 9805 C1 P2	*255×255×58.5	-	2.0	-	-	Indoor -10~55℃	*475	IP44
FU 9805 C2 P2	*255×255×138.5	-	1.5	-	-	outdoor -10~55℃	*735	IP55
FU 9806 A P2	322×322×29.5	120.0	2.0	80	6.7~40	Indoor -10~65℃	545	IP44
FU 9806 B P2	322×322×109.5	-	1.5	-	-	outdoor -10~55℃	950	IP55
FU 9806 C1 P2	*322×322×58.5	-	2.0	-	-	Indoor -10~55℃	*700	IP44
FU 9806 C2 P2	*322×322×138.5	-	1.5	-	-	outdoor -10~55℃	*1090	IP55

**C1 & C2 weight does not contain the weight of the fans



適配分機與通風過濾網組快查表 Specification of the Fans fit the Ventilator Filer Unit

型號 Model	風道 Air Duct	可選配的風機 FANS
FU 9801 C1 & C2	與風機直聯 Connect with fan directly	80- Series fan KA8025,KA8038,EC8025
FU 9802 C1 & C2	與風機直聯 Connect with fan directly	80- Series fan KA9225,KA9238,EC9225
FU 9803 C1 & C2	與風機直聯 Connect with fan directly	120- Series fan KA1225,KA1238,EC1225,EC1238,EC12038
FU 9803 C1 & C2 M	與風機直聯 Connect with fan directly	120- Series fan KA1225,KA1238,EC1225,EC1238,EC12038
FU 9804 C1 & C2	P4-120	120- Series fan KA1225,KA1238,EC1225,EC1238,EC12038
	P4-172	172- Series fan KA1725,KA17025,KA17023,KA1725/5,KA1725/5B,KA1725/5C EC1725,EC17023,EC1725/5,EC1725/5B,EC1725/5C
FU 9804 C1 & C2 M	M4-120	120- Series fan KA1225,KA1238,EC1225,EC1238,EC12038
	M4-172	172- Series fan KA1725,KA17025,KA17023,KA1725/5,KA1725/5B,KA1725/5C EC1725,EC17023,EC1725/5,EC1725/5B,EC1725/5C
FU 9805 C1 & C2	P5-172	172- Series fan KA1725,KA17025,KA17023,KA1725/5,KA1725/5B,KA1725/5C EC1725,EC17023,EC1725/5,EC1725/5B,EC1725/5C
	P5-160	172- Series fan KA1606
	P5-180	180- Series fan KA1806,EC1806
	P5-220	220- Series fan KA2206,KA2208,EC2206,EC2208
FU 9806 C1 & C2	P6-220	220- Series fan KA2206,KA2208,EC2206,EC2208
	P6-225	225- Series fan EC2258
	P6-250	250- Series fan KA2509,EC2509
	P6-207	207- Series fan KA2072,EC2072
	P6-280	280- Series fan EC2880

風機型號說明 Description of Axial AC Fan Code

